

Feature	name	Upgrade PipeWire and WirePlumber to latest stable for each UCB release
Function	nal area	Audio/Video/Multimedia – SPEC-4934
Short de	efinition	The AGL team must have the bandwidth to integrate the latest stable in each UCB release. Ideally that can be coordinated with the upstream Yocto project
Rational AGL	e for	While the Yocto project is only making software available, the AGL community is actively contributing to the development of PipeWire and WirePlumber. The features delivered by the projects are key for AGL adopters New features must be easily accessible for all AGL members and adopters
Effort estimation	on	2-3 man-weeks per AGL release
Target A release	GL	Royal Ricefish, Super Salmon



Feature name	Upstream agl-service-audiomixer bits into WirePlumber and improve mixer APIs, making them more generic and reusable
Functional area	Audio
Short definition	Agl-service-audiomixer is a relic of the old application framework and carries some mixer logic that could just be part of WirePlumber and maintained upstream, as it no longer depends on AGL-specific components. The idea is to also improve the internal APIs so that the controls are exposed in a more generic way. This would also make them more reusable in other projects
Rationale for AGL	This will reduce the maintenance burden of the AGL community on such a component that does not need to be AGL specific
Effort estimation	3-4 man-weeks
Target AGL release	Royal Ricefish



Feature name	Improve sample camera application: rear view backup overlay, object detection labels display, stitching for 360 camera view (multi-camera setup)
Functional area	Camera
Short definition	Add common camera features into the camera app, such as view backup overlay (wheels placement, body alignment, opened doors outline), and stitching for 360 camera view (multi camera setup)
Rationale for AGL	Camera input has been a big gap for AGL for too long. Compute vision and camera video stream rendering are common use-cases in most vehicles today. The AGL sample camera application must demonstrate what is feasible with the Open Source software components readily available today
Effort estimation	6-8 man-weeks
Target AGL release	Royal Ricefish (backup overlay), Super Salmon (360 stitching)



Feature name	Architecture for multi-process machine vision processing and policies
Functional area	Machine vision
Short definition	Augment PipeWire's multimedia IPC mechanism to be able to carry analytics metadata and introduce the appropriate configuration and policies to implement multi-process, multi-camera machine vision systems. Also add object detection labels display on the camera app to demonstrate the functionality
Rationale for AGL	Machine vision is a fundamental technology in automotive today. Use-cases are becoming increasingly complex, while OEMs aim to reduce costs and hardware complexity (wiring, etc.). It is necessary to develop new frameworks to manage machine vision, dividing the workloads and orchestrating the resulting pieces.
Effort estimation	6-8 man-weeks (will depend on the hardware targeted)
Target AGL release	Super Salmon



Feature name	Implement the stream status negotiation protocol in PipeWire
Functional area	Audio/Multimedia - SPEC-4791
Short definition	When switching between media applications, users expect the stream of the application that goes into the background to be corked (i.e. silenced/paused). This unfortunately does not work as expected because the application remains unaware of the fact that it is corked, potentially resulting in bad behavior later on. To remedy the situation, an extension protocol in PipeWire needs to be developed to negotiate the streaming and corking state between the application and the session manager
Rationale for AGL	Improve user experience and API capabilities. This is a long-standing limitation of the existing implementation that risks degrading the user experience
Effort estimation	4 man-weeks
Target AGL release	Super Salmon



Feature name	Split window functionality with gRPC & documentation for gRPC API
Functional area	Graphics / SPEC-4833, SPEC-4839
Short definition	Extend gRPC API to allow side-by-side windows being displayed simultaneously and prepare API gRPC documentation
Rationale for AGL	Many OEMs are choosing to let their IVI systems allow displaying multiple windows at the same time. For example, navigation and media player might be displayed together arranged simultneously on the same display output
Effort estimation	2 man-weeks (work is already in progress)
Target AGL release	Quirky Quillback



/E	Feature name	Head-up Display support
	Functional area	Graphics / SPEC-4910
	Short definition	Add support for HUD devices where the output is possibly projected onto a irregular/concave display
	Rationale for AGL	As requested by Toyota, HUDs are becoming prevalent in vehicles and AGL should use this opportunity to demonstrate navigation information together with additional IC data (speed/rpm/traffic?)

Effort Exploratory work; requires access to off-the-shelf HUD device to test. 1 man-week (once the hardware is available) estimation **Target AGL** Royal Ricefish, Super Salmon release



Feature name	Remove display content streaming (Waltham replacement)
Functional area	Graphics / SPEC-4689
Short definition	Stream content over the network to remote targets
Rationale for AGL	Waltham was used to carry input data from a target over the network where there's no direct physical connection to the target which is assumed to be touchscreen device. Waltham was discontinued and until recently there was no viable alternative. Now libweston now offers content streaming capabilities
Effort estimation	3 man-weeks (combined effort with doing something similar to Weston frontend)
Target AGL release	Royal Ricefish



Feature name	Drop-in configuration files
Functional area	Graphics / SPEC-4710
Short definition	Create a configuration file, in-memory, by dropping parts of the configuration which are defined as sections into a directory
Rationale for AGL	Removes the need to have complicated yocto recipes where we need to assemble configuration files based on different target requirements.
Effort estimation	4 man-weeks. This effort could be integrated as part of larger upstream task to have dynamic runtime configuration files as being defined upstream
Target AGL release	Super Salmon



Feature name Window management and compositor debugging tool

5 man-weeks (possibly a bit more)

configure its policies

level languages. Aligning with other tools, like PipeWire which uses Lua to

language that would allow virtually limitless configuration and expansion

Further customization and compositor introspection requires having a higher level

Functional area Graphics / SPEC-3436

Make it easier to implement, test and debug a Wayland compositor using higher

AGL

Effort

release

estimation

Short definition

Rationale for

Target AGL Super Salmon

10



Feature name Compositor render scale

with memory constraints and other GPU limitations

Allows to display higher resolutions that would be otherwise impossible due to

memory constrains – for instance up-sampling from a 1080p image source to a

Functional area Graphics / SPEC-3281

Short definition

Support rendering the AGL user interfaces at lower resolutions on targets/boards

Rationale for

estimation

AGL

4k display. That means enabling down sampling the render buffer

Effort 3 man-weeks

Target AGL Royal Ricefish, Super Salmon